Freeform Search

| US Pre-Grant Publication Full-Text Database US Patents Full-Text Database US OCR Full-Text Database EPO Abstracts Database JPO Abstracts Database Derwent World Patents Index IBM Technical Disclosure Bulletins | | | | | | |
|--|--|--|--|--|--|--|
| Term: Display: 10 Documents in Display Format: - Starting with Number 1 | | | | | | |
| Generate: C Hit List © Hit Count C Side by Side C Image Search Clear Interrupt | | | | | | |
| Search History | | | | | | |

DATE: Monday, August 13, 2007 Purge Queries Printable Copy Create Case

| side by | sult set |
|---|-------------|
| DB = PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD; PLUR = YES; OP = ADJ | |
| L99 L96 and (time near temperature) 32 L9 | <u> 199</u> |
| <u>L98</u> L96 and (thermal history) | <u> 98</u> |
| <u>L97</u> L96 and (time temperature or thermal history) 22 <u>L9</u> | <u>.97</u> |
| <u>L96</u> L1 and (flash lamp) 69 <u>L9</u> | <u>.96</u> |
| <u>L95</u> .L83 and (flashlamp) 0 <u>L9</u> | <u> 195</u> |
| <u>L94</u> L83 and (flash lamp) 2 <u>L9</u> | <u> 94</u> |
| <u>L93</u> L84 and (flash lamp) 1 <u>L9</u> | <u>,93</u> |
| L92 L84 and (light source or laser or flash near lamp) 32 L9 | <u> 92</u> |
| L91 L88 and (time temperature or thermal history) 11 L9 | <u>,91</u> |
| <u>L90</u> L88 and L68 | <u>.90</u> |
| <u>L89</u> L1 and L88 | <u>.89</u> |
| <u>L88</u> machine readable tag or machine readable label 587 <u>L8</u> | <u>.88</u> |
| DB=USPT; PLUR=YES; OP=ADJ | |
| <u>L87</u> 6514462.pn. and (color) | <u>.87</u> |
| <u>L86</u> 6514462.pn. and (light) | <u>.86</u> |

| 5 | • | | |
|------------|---|-------|------------|
| DB | =PGPB, USPT, USOC, EPAB, JPAB; PLUR=YES; OP=ADJ | | |
| <u>L85</u> | L84 and (bar code or machine read\$4 or scan\$3) | 33 | <u>L85</u> |
| <u>L84</u> | L83 and (time temperature or thermal history or TTI) | 308 | <u>L84</u> |
| <u>L83</u> | (374/100,101,102,103,104,105,106)![CCLS] | 1523 | <u>L83</u> |
| DB | =PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD; PLUR=YES; OP=ADJ | | |
| <u>L82</u> | L81 and (bar code or temperature near read\$3 or temperature near sens\$3 or temperature near detect\$3 or thermal imag\$3) | 82 | <u>L82</u> |
| <u>L81</u> | L80 and (time temperature or thermal history or perishable) | 345 | <u>L81</u> |
| <u>L80</u> | L68 and (move\$4 food or move\$4 oven or move\$4 package\$1 or conveyor) | 7613 | <u>L80</u> |
| <u>L79</u> | L78 and (bar code) | 5 | <u>L79</u> |
| <u>L78</u> | L68 and (mov\$4 food or mov\$4 oven or mov\$4 package\$1) | 660 | <u>L78</u> |
| <u>L77</u> | L1 and (mov\$4 food or mov\$4 oven or mov\$4 package\$1) | 12 | <u>L77</u> |
| <u>L76</u> | (food conveyor) same (bar code) | 2 | <u>L76</u> |
| <u>L75</u> | L71 and (bar code) | 2 | <u>L75</u> |
| <u>L74</u> | L72 and (reader) | 1 | <u>L74</u> |
| <u>L73</u> | L72 and (bar code) | 0 | <u>L73</u> |
| <u>L72</u> | L71 and (food or packag\$2) | 73 | <u>L72</u> |
| L71 | L1 and (conveyer or conveyor) | 293 | <u>L71</u> |
| L70 | L68 and (food near conveyor or package near conveyor) | 217 | <u>L70</u> |
| L69 | L68 and (conveyor) | 7248 | <u>L69</u> |
| L68 | 99/\$.ccls. | 72021 | <u>L68</u> |
| DB | =USPT; PLUR=YES; OP=ADJ | | |
| | 4834017.pn. | 1 | L67 |
| L66 | 5053339.pn. | 1 | <u>L66</u> |
| | =USPT, USOC; PLUR=YES; OP=ADJ | | |
| L65 | 5254473.pn. | 1 | L65 |
| | =USPT; PLUR=YES; OP=ADJ | | |
| <u>L64</u> | 4191125.pn. | 1 | <u>L64</u> |
| DB | =PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD; PLUR=YES; OP=ADJ | | |
| L63 | L55 and (water) | 16 | <u>L63</u> |
| <u>L62</u> | L61 and (water) | 16 | <u>L62</u> |
| L61 | L53 and (freez\$4 near mixture or frozen near mixture) | 17 | <u>L61</u> |
| L60 | L53 and (freez\$4 near liquid or frozen near liquid) | 55 | <u>L60</u> |
| $\dot{D}B$ | =USPT; PLUR=YES; OP=ADJ | | |
| <u>L59</u> | 4457253.pn. and (water) | 1 | L59 |
| <u>L58</u> | 4457253.pn. | 1 | <u>L58</u> |
| DB | =PGPB, USPT, USOC, EPAB, JPAB; PLUR=YES; OP=ADJ | | |
| | L56 and (low near density) | 16 | <u>L57</u> |
| | L54 and (water) | 248 | <u>L56</u> |
| | L54 and (low density) | 18 | <u>L55</u> |
| <u>L54</u> | L53 and (frozen or freezing or refrigerat\$4) | 412 | <u>L54</u> |
| | (374/100.101.102.103.104.105.161.162.156.190.160:116/216.228.102.101.107)! | | |

Freeform Search Page 3 of 4

| ē | . 1 | | |
|------------|--|---------|--------------------------|
| <u>L53</u> | [CCLS] | 4525 | <u>L53</u> |
| DB | =USPT; PLUR=YES; OP=ADJ | | |
| <u>L52</u> | 5695284.pn. | 1 | <u>L52</u> |
| <u>L51</u> | 7097353.pn. and (water) | 0 | <u>L51</u> |
| <u>L50</u> | L49 and (water) | . 1 | <u>L50</u> |
| <u>L49</u> | 7011445.pn. | 1 | <u>L49</u> |
| DB | =PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ | | |
| <u>L48</u> | L47 and (float\$3) | 16 | <u>L48</u> |
| <u>L47</u> | L29 and (freezing or frozen or refrigerat\$4) | 333 | <u>L47</u> |
| <u>L46</u> | L44 and (heat or laser) | 1 | <u>L46</u> |
| <u>L45</u> | L43 and (hysteresis) | 0 | <u>L45</u> |
| <u>L44</u> | L43 and (reaction) | 1 | <u>L44</u> |
| <u>L43</u> | L29 and (thermochromic or thermochromatic or thermosens\$5) near (powder) | 1 | <u>L43</u> |
| <u>L42</u> | L29 and (thermochromic or thermochromatic or thermosens\$5 near powder) | 147 | <u>L42</u> |
| <u>L41</u> | L40 and (thermochromic or thermochromatic or thermosens\$5) | 30 | <u>L41</u> |
| <u>L40</u> | L29 and (powder) | 178 | <u>L40</u> |
| <u>L39</u> | L38 and (screen printing) | 1 | <u>L39</u> |
| <u>L38</u> | L36 and (label) | 21 | <u>L38</u> |
| <u>L37</u> | L36 and (laser) | 13 | <u>L37</u> |
| <u>L36</u> | L29 and (bar code or optical scan\$4) | 32 | <u>L36</u> |
| <u>L35</u> | L29 and (optical pick near up) | 1 | <u>L35</u> |
| DB | =USPT; PLUR=YES; OP=ADJ | | |
| <u>L34</u> | 6494950.pn. and (heat) | 1 | <u>L34</u> |
| <u>L33</u> | 6494950.pn. and (neat) | 0 | <u>L33</u> |
| <u>L32</u> | 6494950.pn. and (laser) | 1 | <u>L32</u> |
| DB | P = PGPB, USPT, USOC, EPAB, JPAB; PLUR = YES; OP = ADJ | | |
| <u>L31</u> | L30 and (reversible or reusable or re-usable) | 104 | <u>L31</u> |
| | L29 and (thermochromic or thermochromatic or thermal near dye or thermal near | | |
| <u>L30</u> | coat\$3 or thermal near paint or temperature near coat\$3 or temperature near paint | 215 | <u>L30</u> |
| × 20 | or temperature near dye) | 3025 | 1.20 |
| | (374/100,101,102,103,104,105,161,162;116/216)![CCLS] | | |
| | (374/100,101,102,103,104,105)![CCLS] | 1332 | <u>L20</u> |
| | P=PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD; PLUR=YES; OP=ADJ | 500 | 1 27 |
| | 374/162 | | L27 |
| | 374/161 | 903 | |
| | L21 and (powder) | 3 | L25 |
| | L21 and (dispers\$4) | 2 | L24 |
| | L21 and (emulsif\$4) | 2 | L23 |
| | L21 and (laser) | 3 17 | <u>L22</u> <u>L21</u> |
| | L20 and (hysteresis) | | L21 |
| | L1 and (thermochromic or thermochromatic) $R = PGPB, USPT, USOC, EPAB, JPAB; PLUR = YES; OP = ADJ$ | 1/3 | 1,40 |
| שע | -1 O1 D , O31 1 , O3OC, EI AD , O1 AD , I E OK -1 E 3, O1 $-AD$ 3 | | |